## DIAMOND EDGE PLANES



"DIAMOND EDGE IS A QUALITY PLEDGE"

### SHAPLEIGH HARDWARE CO.

INTERNATIONAL DISTRIBUTORS ESTABLISHED 1843

DIAMOND EDGE TOOLS



DIAMOND EDGE CUTLERY

ST. LOUIS,

U.S.A.

"DIAMOND EDGE IS A QUALITY PLEDGE"

Shapleigh National Series No. 1354

### 1843 EIGHTY FOUR YEARS OF HONORABLE SERVICE 1927

### DIMMOND EDGE BIT BRACES

In a **DIMOND EDGE** Brace You Have the Acme of All Braces. Every Good Point Found in the Best of Braces Has Been Embodied in Making the **DIMOND EDGE**. Has Alligator Pattern Jaws and Ball Bearing Steel Clad Head. A Brace That Will Satisfy the Most Exacting.



### \* DIMMOND EDGE



### RATCHET

Ball Bearings; Nickel Plated Sweep and Mountings; Carbon Finish, Non Rusting Sleeve and Quill. Polished Cocobolo Head and Handle; Steel Clad Head.

Hardened Steel Alligator Pattern Jaws; Knurled Ratchet Sleeve and Chuck.

Nos	DE188	DE1810	DE1812	DE1814	
Size of Sweep, inches	8	10	12	14	
Weight per Dozen, lbs	34	38	40	43	
Each	\$5.50	5.75	6.00	6.25	
Two in a Box					

#### EXTRA JAWS

						Per Pair
No.	<b>DEJ</b> Weight	per	Dozen	Pair,	1½ lbs	\$0.75
			Loo	se		



### PLANES

#### IN VARIOUS SHAPES FOR MANY USES

THERE are few Tools demanded in such a variety of shapes and sizes as is required in producing a full line of Planes.

### **EVERY WANT MET**

Our line of Planes is very Complete, and years of enthusiastic effort and unremitting labor have resulted in

### A LINE OF HIGHEST QUALITY

The material used is the finest, exquisitely finished; the metal in the cutters is of highest grade tool steel, the kind that can be sharpened and which holds an edge.

# QUICKLY, EASILY AND ACCURATELY ADJUSTED

In every case the adjustment is simple and easily accomplished, a fact appreciated by many.

### OUR ENTIRE LINE OF PLANES CAN BE SOLD WITH PRIDE, SATISFAC-TION AND PROFIT.

IRON, ADJUSTABLE

Black Enameled Cast Iron Frames; Face of Bottom and Sides Ground True and Smooth; Composition Rubber Handle; Ebonized Wood Knob; Full Polished Cap and Cutters; Highest Grade Tool Steel Thin Bit Cutters, Oil Tempered, Ground and Hand Sharpened; Screw and Lever Adjustment; Brass Adjusting Nut.

#### SMOOTH BOTTOM



Eac	ch
No. DE3-8¾ inches Long; 1¾ inch Cut; Weight	
3½ lbs\$3.4	15
No. DE4-9 inches Long; 2 inch Cut; Weight	
33/ lbs	80
No. DE41/2-10 inches Long; 23/8 inch Cut;	
Weight 5 lbs 4.3	35



JACK	Each
No. DE5—14 inches Long; 2 inch Cut; Weight 5 lbs	
5 lbs\$	4.35
No. DE5½-15 inches Long; 2¼ inch Cut; Weight 6 lbs	5.00
FORE	
No. DE6—18 inches Long; 23/8 inch Cut; Weight 71/4 lbs	5.60
JOINTER	
No. DE7—22 inches Long; 23% inch Cut; Weight 8½ lbs	6.40
No. DE8—24 inches Long; 25% inch Cut; Weight 9 lbs	
One in a Box	

IRON, ADJUSTABLE

Black Enameled Cast Iron Frames; Face of Bottom and Sides Ground True and Smooth; Composition Rubber Handle; Ebonized Wood Knob; Full Polished Cap and Cutters; Highest Grade Tool Steel Thin Bit Cutters, Oil Tempered, Ground and Hand Sharpened: Screwland Lever Adjustment; Brass Adjusting Nut.

CORRUGATED BOTTOM

The Corrugated Bottom Lessens Friction and Makes an Easier Running Tool.



#### SMOOTH

No. DEC3—834 inches Long; 134 inch Weight 318 lbs	Each Cut;
No. DEC4—9 inches Long; 2 inch Cut; We	eight
334 lbs No. DEC4½—10 inches Long; 236 inch	4.00
Weight 5 lbs	4.55




Engl

No. DEC5-14 inches Long; 2 inch Cut; Weight
4 % IDS \$4.55
No. DEC5½—15 inches Long; 2¼ inch Cut; Weight 6 lbs
FORE
No. VDEC6-18 inches Long; 23% inch Cut; Weight 7½ lbs
JOINTER
No. DEC7-22 inches Long: 23% inch Cut
Weight 8½ lbs
No. DEC8—24 inches Long; 2\% inch Cut;
Weight 93/4 lbs 8.00
One in a Box

#### WOOD BOTTOM ADJUSTABLE

Selected Clear Beechwood Bottom, Handle and Knob; Perfectly Smooth and True Face; Black Enameled Cast Iron Frame and Lever Cap; Highest Grade Tool Steel Thin Bit Cutters, Oil Tempered, Ground and Hand Sharpened; Screw and Lever Adjustment; Brass Adjusting Nut.



#### 




### HANDLED SMOOTH


No.	DE35-8½ inches Long; 2 inch Cut; Weight 4 lbs.	Each 83.80
No.	DE36-9 inches Long; 23% inch Cut; Weight lbs	
	One in a Box	

#### WOOD BOTTOM ADJUSTABLE

Selected Clear Beechwood Bottom, Handle and Knob; Perfectly Smooth and True Face and Lever Cap; Black Enameled Cast Iron Frame; Highest Grade Tool Steel Thin Bit Cutters, Oil Tempered, Ground and Hand Sharpened; Screw and Lever Adjustment; Brass Adjusting Nut.



JACK	Each
No. DE26—15 inches Long; 2 inch Cut; Weight 4½ lbs	
No. <b>DE27</b> ½—15 inches Long; 2¼ inch Cut; Weight 5¼ lbs	3.90
FORE	
No. <b>DE28</b> —18 inches Long; 23% inch Cut; Weight 53% lbs	4,30



One in a Box

### DIAMOND EDGE BLOCK PLANES

Refined Cast Iron Frame and Cap; Highest Grade Tool Steel Thin Bit Cutter, Oil Tempered, Ground and Hand Sharpened.



#### No. DE103

Japanned Top, Sides and Cap; Ground Face; 53/8 inches
Long; 13/8 inch Cut. Each
No. DE102—Non-adjustable\$0.75
No. DE103—Adjustable
One in a Box; Weight About 1/8 lb.



#### WITH HANDLE

Japanned Top, Side	es, Cap and	Handle;	Ground Face;		
Not Adjustable.			Each		
No. DE100-31/2 inch	es Long; 1	inch Cut;	Weight		
½ lb			\$0 . 50		
One in a Box					



### WITHOUT HANDLE

Japanned Adjustable.	Top,	Sides	and	Cap;	Ground	Face;	Not
No DE101-	-316	nches	Long	· 1 inc	h Cut. V	Veight	
1/4 lb			c in a				\$0.40

### DIMOND EDGE BLOCK PLANES

Refined Cast Iron Frame and Cap; Highest Grade Tool Steel Thin Bit Cutter, Oil Tempered, Ground and Hand Sharpened.

#### ADJUSTABLE THROAT

The Throat Can be Quickly Opened or Closed for Fine or Coarse Work, by a Movement of the Cam Lever at Nose.



#### REGULAR

Japanned Top Cap and Trimmings; Polished Face and Sides; Brass Adjusting Nuts.

Each



#### KNUCKLE JOINT

Japanned Top; Polished Face and Sides; Nickel Plated Lever Cap; Brass Adjusting Nuts.

No. DEX18-614 inches Long; 15% inch Cut; Weight 1½ lbs......\$2.60



#### LOW ANGLE

Japanned Top and Lever Cap; Polished Face and Sides; Dull Nickeled Adjusting Nut and Lever; Brass Finger

### DIAMOND EDGE BLOCK PLANES

Refined Cast Iron Frame and Cap; Highest Grade Tool Steel Thin Bit Cutter, Oil Tempered, Ground and Hand Sharpened; Japanned Top and Cap; Polished Face and Sides; Beechwood Knob.



#### ADJUSTABLE

Each



#### NON-ADJUSTABLE

Each



#### DOUBLE END, NON-ADJUSTABLE

With Two Slots and Reversible Cutter Seat.

Each

"Diamond Edge is a Quality Pledge"

### DIAMOND EDGE PLANE IRONS

Highest Grade Tool Steel, Especially Selected for **DIMOND EDGE** Planes; Oil Tempered, Ground and Hand Sharpened, Extra Heavy Bit; Full Polished.

In Ordering Plane Irons Always Give the Make and Number of Plane for Which they are Wanted.

#### FOR DIMMOND EDGE IRON AND WOOD BOTTOM BENCH PLANES



#### No. DESASINGLE CUT IRONS

Cut, Inches       1¼         Weight Dozen, Lbs.       1¼         Per Dozen       \$5.25	21/4	13/4 25/8 7.15	31/4
Cut, Inches       2½         Weight Dozen, Lbs       35%         Per Dozen       \$8.25         Half Dozen in a Cardbo	9. <b>00</b>	$\frac{4\frac{1}{4}}{9.25}$	5




#### No. DED-DOUBLE IRONS

Cut, Inches		. 4	13/4 41/2 11.25	$\begin{array}{c} {f 2} \\ 5\frac{1}{2} \\ {f 12.75} \end{array}$
Cut, Inches	\$13.50	7 14.00	73/4 14.50	25/8 81/8 15.00
Half Dozen in a Cardboard Box				

### EXTRA PARTS FOR DIAMOND EDGE PLANES

In Ordering, Always Give Kind and Number of Plane for Which Part is Wanted, as Well as the Figure Number of the Part Wanted. Ten Cents will be the Minimum Charge for Any Part Sent by Mail.



#### FINISHED PARTS FOR BENCH PLANES

Fig. A—Single Plane Iron Fig. B—Top Plane Iron Fig. C—Plane Iron Screw Fig. D—Cap

Fig. E-Cap Screw Fig. G-Y Adjustment

Fig. H-Brass Adjusting Nut


Eig. I—Lever Only
Fig. J—Frog Screw
Fig. K—Frog Complete
Fig. L—Handle for Iron Plane

Fig. M-Handle for Wood

Plane Fig. N-Knob

Fig. O—Handle Bolt
Fig. P—Knob Bolt
Fig. Q—Handle Screw
Fig. R—Iron Plane Bottom Fig. S-Top Casting for Wood Plane

Fig. T-Bottom for Wood Plane



#### FINISHED PARTS FOR BLOCK PLANES

Fig. AB-Plane Iron Fig. Als—l'Inne Iron
Fig. BB—Cap Only
Fig. CB—Cap Screw
Fig. DB—Cap Lever
Fig. EB—Adjusting Nut
Fig. FB—Bottom
Fig. GB—Extension Nose
Fig. HB—Eccentric Plate

Fig. 1B—Iron Knob Fig. JB—Wood Knob Fig. KB—Adjusting Frog Fig. LB—Adjusting Frog Fig. MB—Lateral Lever

Fig. NB-Adjusting Screw Fig. OB-Adjustment Dog Fig. PB-Lever Screw

DIAMOND EDGE IS A QUALITY PLEDGE

-12-

### DIAMOND EDGE PLANE HANDLES

FOR DIAMOND EDGE IRON PLANES
Black Composition Rubber



Per Dozen

No. DE3—For No. DE3 Plane; Wgt. per Doz., 3½ lbs. \$7.00
No. DE4—For No. DE4 Plane; Wgt. per Doz., 4 lbs. 7.00
No. DE4½—For Nos. DE4½, DE5, DE6, DE7 and
DE8 Planes; Weight per Dozen, 5 lbs. . . . . . . 7.00
One Half Dozen in a Box

### JOINTER OR PLANE GAUGES



Can be Adjusted to any Jack or Jointer Plane, Wood or Iron; Adjustable for Squaring or any Desired Bevel; Arms are Slotted to Provide Adjustment to the Various Heights of Planes; Quickly Secured or Released by Turning Set Screw in Slot and by a Partial Turn of Cam Lever.

For Wood Planes Substitute Round Head Wood Screws for Cam Levers.

No. DE145—9 inches Long; Japanned Iron Clamp Bar and Cam Lever Clamps; Plain Nickel Plated Gauge Plate; Machined Planer Surface; Polished Nickel Plated Trimmings; Weight Each, 17% lbs.; Weight per Dozen, 221% lbs.

### DIAMOND EDGE HAND DRILLS


DIMOND EDGE Hand Drills are Made Throughout of the Best Materials; the Working Parts are Accurately Machined and All Parts Carefully Fitted. The Construction is Mechanically Correct and they are Attractively Finished. These Drills are in Every Way up to the Standard of Perfection Required of All Tools of Our DIMOND EDGE Brand.



Painted Red Malleable Iron Frame, Dull Nickeled Gear Wheel; Nickel Plated Steel Chuck and 3 Piece Hardened Jaw; Hardened Steel Pinion; Polished Steel Spindle, Ferrule and Handle Crank Secondo Hollow Handle; Made of the Best Mate ins. All Parts Accurately Machined; Perfectly Fitted and Handsomely Finished.

Each

No. DE30—Length 11½ inches; Diámeter of Wheel, 3¾ inches; Length of Crank 3 inches; With 8 Drills, 1-16, 5-64, 3-32, 7-64, 1-8, 9-64, 5-32, 11-64 inch; Weight per Dozen, 18 lbs...\$3.00 Twelfth Dozen in a Box



Painted Red Mallcable Iron Frame, Dull Nickeled Gear Wheel; Nickel Plated Steel Chuck and 3 Piece Hardened Jaw; Hardened Steel Pinion; Polished Steel Spindle, Ferrule and Handle Crank; Cocobolo Hollow Handle; Made of the Best Materials. All Parts Accurately Machined; Perfectly Fitted and Handsomely Finished.

Each

No. DE40—Length 14 inches; Diameter of Wheel, 4 inches; Length of Crank 3½ inches; With 8 Drills, 1-16, 5-64, 3-32, 7-64, 1-8, 9-64, 5-32, 11-64 inch; Weight per Dozen, 27 lbs...\$5.00

### DIAMOND EDGE BREAST DRILLS


BALL BEARING; WITH LEVEL; SINGLE SPEED

Nickel Plated and Polished Frame, Spindle Chuck, Handle Crank and Upper Side of Breast Plate. Gear Wheel and Underside of Breast Plate Painted Bright Red; Polished Rosewood Handles. Steel Spindle, Frame, Chuck and Small Pinions; Wrought Steel Crank; Cast Iron Gear Wheel and Breast Plate. Machine Cut Gear and Pinion Teeth; Ball Bearings in Shoulder, to Relieve End Thrust or Strain; With Special Locking Device which Prevents the Chuck Turning when Changing Drill Points.



Forged Steel, Hardened Alligator Jaws; Holds Round or Square Shank Drills 9/64 to 3/6 inch; Handle Adjustable from 8 to 11 inches; Speeded 4½ to 1.

No. DE25--Length, 16 inches; Diameter of Wheel 5¾ inches; Length of Crank 6 inches; Weight



WITH BREAST PLATE

Cast Iron Breast Plate, Nickel Plated on Top, Painted Red on Under Side. Each

No. DE20—Length, 16 inches; Diameter of Wheel 5 inches; Length of Crank 5½ inches; Weight

## DIAMOND EDGE **PLANES**



"DIAMOND EDGE IS A QUALITY PLEDGE"

### SHAPLEIGH HARDWARE CO.

INTERNATIONAL DISTRIBUTORS **ESTABLISHED 1843** 

DIAMOND EDGE TOOLS



DIAMOND EDGE CUTLERY

ST. LOUIS.

U.S.A.

"DIAMOND EDGE IS A QUALITY PLEDGE"

Shapleigh National Series No. 1354